



(a) “Eco-Baum”

(b) “Eco-Tacho”

(c) “G-Radar”

Abbildung 2. Die Feedback Screens für die (a) Gruppe mit abstraktem Eco-Feedback; (b) Gruppe mit konkretem Eco-Feedback; (c) Kontrollgruppe und Baselinephase

Acknowledgements

Diese Arbeit wird unterstützt vom Bosch IoT-Lab, Universität St. Gallen, CH.

4 References

1. ITF: Transport Green House Gas Emissions - Country Data 2010. (2010).
2. GFEI: Fuel Economy State of the World 2014. (2014).
3. Barić, D., Zovak, G., Periša, M.: Effects of Eco-Drive Education on the Reduction of Fuel Consumption and CO₂ Emissions. *PROMET (Traffic Transp.* 25, 265–272 (2013).
4. Barkenbus, J.N.: Eco-driving: An overlooked climate change initiative. *Energy Policy.* 38, 762–769 (2010).
5. Watson, R.T., Boudreau, M.-C., Chen, A.J.: Information systems and environmentally sustainable development: energy informatics and new directions for the is community. *MIS Q.* 34, 23–38 (2010).
6. GSMA: 2025 Every Car Connected. (2012).
7. Tulusan, J., Staake, T., Fleisch, E.: Providing eco-driving feedback to corporate car drivers: what impact does a smartphone application have on their fuel efficiency? *UbiComp.* 1–4 (2012).
8. Karlin, B., Zinger, J.F., Ford, R.: The effects of feedback on energy conservation: A meta-analysis. *Psychol. Bull.* 141, 1205–1227 (2015).
9. Dahlinger, A., Wortmann, F.: Fostering Pro-Environmental Behavior with Green Consumer IS: The Effects of IS-Induced Construal and General IS Usage Motivations. In: *ECIS.* , Istanbul (2016).